

DEPARTMENT OF FARM MACHINERY AND POWER ENGINEERING COLLEGE OF AGRICULTURAL ENGINEERING AND TECHNOLOGY CCS HARYANA AGRICULTURAL UNIVERSITY HISAR-125004, HARYANA



Phone:01662-255447 e-mail: fpm@hau.ernet.in

http://hau.ernet.in

hau.machinerytesting@gmail.com

SPECIFICATION SHEET OF POTATO PLANTER

1.0	Comorol			
1.0	General			
	Name of the implement	:		
	Address of Manufacturer	:		
	Name & Address of Applicant	:		
2.0	Specifications			
	Type	:		
	Make	:		
	Serial no.	:		
	Model	:		
	Year of manufacture	:		
	Maximum PTO power kW (Ps)	:		
	Engine speed for field operation	:		
	recommended by applicant (rpm)			
3.0	Constructional Details			
3.1	Ridgers	:		
	Number of ridgers	:		
	Method of changing of ridge spacing	:		
	Range of Spacing (mm)	:		
	Soil covering device	:		
	Method of adjustment of height of soil	:		
	covering device			
	Wing width range, Minimum/Maximum	:		
	Method of changing of wing width	:		
	Depth control	:		
3.2	Seed Metering Mechanism			
	Type	:		
	No. of openings, if ring type	:		
	No. of cups, if cup type	:		
	Drive details	:		
	Speed ratio of shaft metering device to	:		
	ground wheel axle			
	Internal diameter of speed tube (mm)	:		
	Provision of shovel in front seed tube	:		
	Size of shovel, Length/Width/Thickness	:		
	Height of lower end of seed tube, mm			
	From the ground	:		
	From the lower end of the shovel	:		
	attached to seed tube	:		
3.3	Ground Wheel Details			
	No. of wheels		:	
	Type of wheels		:	

	Siz	e. mm	:		
	Diameter, Maximum/Minimum		:		
	Thi	ckness of sheet	:		
	Me	thod of transmitting power to feed shaft	:		
3.4					
	Тур	pe	:		
	Siz	e of box, mm	:		
	Pro	vision for changing of row spacing	:		
3.5 Operator's seat					
	Typ	pe	:		
	Thickness of sheet		:		
	Diameter from centre of seat to hopper edge,		:		
	mm	1			
	Provision of foot support		:		
3.6	Ho	pper			
	Cap	pacity, kg	:		
	Type		:		
	Thickness of hopper sheet, mm		:		
4.0					
	a)	Type	:		
	b)	Specifications of Hitch pyramid	:	As per IS:4468 Part-I, 2001 (Cl.5.1) & Part-	
				II, 1998 (Cl.5.1) (All dimensions are in mm)	
1	1	1	1	1	

Sr.	Dimension	Description (Refer Fig.)	Dimension in mm		
Upper Hitch attachments					
1	d_1	Diameter of hitch pin hole			
2	b' ₁ Width between inner faces of yoke				
3	b'2	Width between outer faces of yoke			
Lower hitch points					
4	D_2	Dia of hitch pin			
5	b' ₃	Linch pin hole distance			
6	1	Lower hitch point span			
Other dimensions					
Diameter of linch pin hole					
7	d	For upper hitch pin			
8		For lower hitch pin			
9	h	Mast height			




Fig. : Implement Hitch Attachment

	5.0	Number of Greasing Points		
		Number of oil holes		
Γ	6.0	Provisions for adjustments		

	Adequacy of protection of bearings against the	:	
	ingress of dust		
	Provision of lubrication of moving parts	:	
	Provision for belt or chain tightening	:	
	Adequacy of anticorrosive coating		
	Tightness of bolts, and nuts and other fasteners	:	
	Condition of welding of seams	:	
	Other observations	:	
	Tuber distance adjustments	:	
	Row spacing adjustments	:	
	Depth of planting adjustments	:	
	Tuber size adjustments	:	
7.0	Overall dimensions, mm		
	Length	:	
	Width	:	
	Without marker	:	
	With marker	:	
	Height	:	
	Mass, Kg	:	
8.0	Material for construction of various compone	nts	
	Axle and shaft	:	
	Seed box	:	
	Tines	:	
	Furrow opener	:	
	Seed carrying chute	:	
	Seed metering mechanism	:	
	Bushes	:	
	Pulley, Sprocket and gear	:	
	Hitching mechanism	:	
	Feed adjusting mechanism	:	
	Depth adjusting mechanism	:	
	Marker	:	
	Seat	:	
	Foot rest	:	
	Bearings	:	
	<u> </u>		
	Share	:	

Place:	
Date:	Signature :
	Name :
	Designation: