

DEPARTMENT OF FARM MACHINERY AND POWER ENGINEERING COLLEGE OF AGRICULTURAL ENGINEERING AND TECHNOLOGY CCS HARYANA AGRICULTURAL UNIVERSITY HISAR-125004, HARYANA



| Phone:01662-255447 | e-mail: fpm@hau.ernet.in |
|--------------------|--------------------------------|
| | http://hau.ernet.in |
| | hau.machinerytesting@gmail.com |

SPECIFICATION SHEET OF TRACTOR OPERATED CHAFF CUTTER

| | STECHTCATION SHEET OF TRACE | OR OTERATED CHAIT CUTTER |
|-----|----------------------------------------------------|--------------------------|
| 1.0 | General | |
| | Name of Machine | |
| | Name and address of Manufacturer | |
| | | |
| | | |
| | Name and address of applicant | |
| | Selling price in India | |
| 2.0 | Technical Specification | |
| | Make | |
| | Model | |
| | Туре | |
| | Size | |
| | Serial No. | |
| | Year of Manufacture | |
| | Size of blade | |
| | Suitability | |
| 3.0 | Constructional Details | |
| 3.1 | Stand | |
| | Type | |
| | Size of angle iron | |
| | Size of supporting angle iron | |
| | Size of Platform | |
| | No. and size of holes for Fitting the chaff cutter | |
| | assembly | |
| 3.2 | Power unit (Splined end of input shaft (Ref. | |
| | Fig.1): | |

Dimension of Implement Power Input Shaft As per IS: 4931-2006

| Sr. | Specification/ Notations (Refer Fig.1) | Dimensions | |
|---------|-------------------------------------------|------------|--|
| 1 | PTO Type 1/2/3 | | |
| 2 | Nominal speed (rpm) | | |
| 3 | Nominal dia.(mm) | | |
| 4 | Number and type of splines | | |
| Dimensi | Dimensions (mm) | | |
| 5 | DΦ | | |
| 6 | d Φ | | |
| 7 | ВФ | | |
| 8 | ΑФ | | |
| 9 | W | | |
| 10 | a | | |

| 11 | b | |
|----|---|--|
| 12 | c | |
| 13 | X | |
| 14 | В | |




Fig. 1 Dimension of Implement Power Input Shaft

| 2.11 | Propeller shaft: | |
|------|------------------|-----------------------|
| | a) | Type and material |
| | b) | Length of shaft (mm) |
| | | Minimum |
| | | Maximum |
| | c) | Mass of shaft (kg) |
| | d) | Provision for locking |

Propeller Shaft Insert Dimensions As per IS: 4931-1995

| Sr. | Notations (Refer Fig.2) | |
|-----|----------------------------|--|
| 1 | DΦ | |
| 2 | d Φ | |
| 3 | W | |
| 4 | В | |




Fig. 2: Propeller Shaft Insert Dimensions

| 3.3 | Main Power Transmission | |
|-----|--------------------------------------|--|
| | Туре | |
| | Material and size of motor pulley | |
| | Size of flywheel pulley | |
| | Type and size of belt | |
| | Speed reduction from motor pulley to | |
| | flywheel pulley | |
| | Arrangement for belt tensioning | |

| 3.4 | Fly Wheel | |
|-----|------------------------------------------------|--|
| | Constructional details | |
| | Diameter of flywheel | |
| | Thickness of flywheel | |
| | Size of 'S' shape casting for blade mounting | |
| | Size of central bush | |
| | No. size of holes on the 'S' shape casting for | |
| | blade mounting | |
| | Mass of flywheel | |
| 3.5 | Chaffer Blades | |
| | Rotating Blades | |
| | Number of blades | |
| | Material of blades | |
| | Dimension of blade | |
| | Method of mounting | |
| | Fixed Blades | |
| | Number of blades | |
| | Size | |
| | Method of mounting | |
| | Recommended clearance between fixed and | |
| | rotating blades | |
| | Method of clearance adjustment | |
| 3.6 | Feeding assembly | |
| 3.0 | Main shaft | |
| | Material | |
| | Length of shaft | |
| | Diameter of Shaft | |
| | No. & type of bearings | |
| | Method of shaft mounting | |
| | Method of lubrication | |
| | Gear Box | |
| | Constructional details | |
| | Туре | |
| | Material | |
| | No. of worms | |
| | No. of gears | |
| | Details of Worm | |
| | Type | |
| | Length | |
| | Thickness & depth of teeth | |
| | Number & size of holes for locking the worm | |
| | on main shaft | |
| | Details of gear | |
| | Type | |
| | Number of teeth on each gear | |
| | Pitch | |
| | Number and size of holes provided for | |
| | locking on shaft | |
| | Method of power transmission | |
| | 1.10thos of power transmission | |

| | Method of lubrication | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| | Recommended lubricant | |
| 3.7 | Feed Rollers | |
| 3.7 | Number of rollers | |
| | Type | |
| | Material | |
| | Lower Roller | |
| | Width & diameter of roller | |
| | Effective width of roller | |
| | No. of teeth on each roller and their | |
| | configurations | |
| | Type of teeth and pitch | |
| | Size of teeth | |
| | Type of roller shaft | |
| | Size of roller shaft | |
| | No. & type of shaft bearing | |
| | Size of bush | |
| | Provision for lubrication | |
| | | |
| | Upper Roller Width & diameter of roller | |
| | Effective width of roller | |
| | No. of teeth on each roller and their | |
| | configurations | |
| | | |
| | Type of teeth & pitch Size of teeth | |
| | | |
| | Type of roller shaft Size of roller shaft | |
| | No. and type of shaft bearing | |
| | Size of bush | |
| | Provision for lubrication | |
| | Space between the axis of upper & lower | |
| | roller (Minimum & maximum) | |
| | Method of space adjustment | |
| | Speed of feeding rollers | |
| 3.8 | Feeding mechanism | |
| 3.0 | Type of Feeding | |
| | Material Material | |
| | Height of feeding tray | |
| | Length of feeding tray | |
| | Size (width x depth) of feeding tray at outer | |
| | end & inner end | |
| | Angle of inclination of tray | |
| | Method of mounting | |
| 4.0 | Safety Arrangements | |
| 5.0 | Transport Arrangements | |
| 6.0 | Overall dimensions | |
| 0.0 | Length Coverage Cover | |
| | Width | |
| | Height | |
| | Height | |

| 7.0 | Mass of Machine | |
|-------|---------------------|------------|
| | With prime mover | |
| | Without prime mover | |
| 8.0 | Color of Machine | |
| Place | | |
| | | Signature: |
| | | Name : |

Designation: